



# MASTER PL-Electronic

## MASTER PLE-R 33W/865 E27 220-240V 1CT/6

Non-covered energy-saving MASTER lamps - the perfect choice for end users who demand the best performance and reliability. With a wide product range with different wattages, it offers comprehensive choices to suit different usages and applications

### Product data

General Information		Starting Time (Nom)	
Cap-Base	E27 [ E27]		1.0 s
Nominal Lifetime (Nom)	15000 h	Warm Up Time to 60% Light (Min)	10 s
Switching Cycle	50000X	Warm Up Time to 60% Light (Max)	60 s
		Power Factor (Nom)	0.9
		Voltage (Nom)	220-240 V
Light Technical		Controls and Dimming	
Color Code	865 [ CCT of 6500K]	Dimmable	No
Luminous Flux (Nom)	2160 lm		
Luminous Flux (Rated) (Nom)	2160 lm	Approval and Application	
Color Designation	Cool Daylight	Energy Efficiency Label (EEL)	A
Lumen Maintenance 2000 h (Nom)	90 %	Mercury (Hg) Content (Max)	1.5 mg
Chromaticity Coordinate X (Nom)	313	Mercury (Hg) Content (Nom)	1.4 mg
Chromaticity Coordinate Y (Nom)	337	Energy Consumption kWh/1000 h	33 kWh
Correlated Color Temperature (Nom)	6500 K	Product Data	
Luminous Efficacy (Rated) (Nom)	65.2 lm/W	Full product code	872790021035410
Color Rendering Index (Nom)	81	Order product name	MASTER PLE-R 33W/865 E27 220-240V 1CT/6
LLMF At End Of Nominal Lifetime (Nom)	65 %	EAN/UPC - Product	8727900210354
Operating and Electrical		Order code	929689132601
Input Frequency	50 or 60 Hz	Numerator - Quantity Per Pack	1
Power (Rated) (Nom)	33.0 W	Numerator - Packs per outer box	6
Lamp Current (Nom)	155 mA	Material Nr. (12NC)	929689132601
Wattage Equivalent	145 W		

## MASTER PL-Electronic

---


Net Weight (Piece)	125.000 g
--------------------	-----------

---

### Warnings and Safety

- Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Compact fluorescent lamps have to be treated as special waste, they must be taken to your local waste facilities for recycling. The European Lighting Industry has set up an infrastructure, capable of recycling mercury, other metals, glass etc.

### Dimensional drawing



Product	D (max)	C (max)	F (max)
MASTER PLE-R 33W/865 E27 220-240V 1CT/6	39.6 mm	196.2 mm	48 mm

MasPLE Erp 33W CDL E27 220-240V 50/60Hz

