

Nume	Cod	Model	P _(i)	Flux	Sursă	Carcasă	Dimensiuni L x I x h	Stoc
unitate de masură			W	lm		material	mm	
Fines	EL0020879	TG-3113.01	1 x 13	650	T5	Al	581 x 35 x 85	1
Veldi	EL0023942	TG-3113.07106	1 x 6	240	T5	PVC	268 x 22 x 44	1
Veldi	EL0023943	TG-3113.07108	1 x 8	320	T5	PVC	345 x 22 x 44	1
Veldi	EL0023944	TG-3113.07113	1 x 13	650	T5	PVC	572 x 22 x 44	1
Veldi	EL0023945	TG-3113.07121	1 x 21	1155	T5	PVC	900 x 22 x 42	1
Veldi	EL0023946	TG-3113.07128	1 x 28	1680	T5	PVC	1200 x 22 x 42	1
Amina	EL0023952	TG-3113.09108	1 x 8	480	T4	PC	390 x 22 x 44	×
Amina	EL0023954	TG-3113.09116	1 x 16	1040	T4	PC	516 x 22 x 44	×

Echipare: balast electronic

Montaj: aplicat Ambalaj: individual

Prevăzut cu tub fluorescent, întrerupător și cablu de alimentare 1.5m **Opțional:** pentru EL0023952 și EL0023954, cablu de îmbinare pt. max 150W.









Informații logistice:

vezi indexul de la sfârșitul catalogului